










OPTIČKI KABLOVI

01.12.20024




OPŠTIČKI KABLOVI				
Šifra	Slika	Naziv/Model	VPC (€/m)	MPC (€/m)
		Kabl za unutrašnju montažu 1 vlakno		
OP011233		Optički kabl za unutrašnju montažu 2*0.5FRP, G657A1 LSZH 1 vlakno Dužina: 1 Km, Boja: bele boje (bez konektora). Single mode, OS2 standard. <u>Slabljenje:</u> 1310nm, ≤ 0.35dB/km 1550nm ≤ 0.20 dB/km Ugradna temperatura: -20~+60 °C Radna temperatura: -40~+70 °C	0.09	0.11
		Kabl za unutrašnju montažu 2 vlakna		
OP011234		Optički kabl za unutrašnju montažu 2*0.5FRP, G657A1 LSZH 2 vlakna Dužina: 1 km, Boja: bele boje (bez konektora). Single mode, OS2 standard. <u>Slabljenje:</u> 1310nm, ≤ 0.35dB/km 1550nm ≤ 0.20 dB/km Ugradna temperatura: -20~+60 °C Radna temperatura: -40~+70 °C	0.12	0.14
		Kabl za unutrašnju montažu 4 vlakna		
OP010001		Optički kabl za unutrašnju montažu 2*0.5FRP, G657A1 LSZH 4 vlakna Dužina 1 km, Boja: bele boje (bez konektora). Single mode, OS2 standard. <u>Slabljenje:</u> 1310nm, ≤ 0.35dB/km 1550nm ≤ 0.20 dB/km Ugradna temperatura: -20~+60 °C Radna temperatura: -40~+70 °C	0.17	0.20
		Samonoseći kabl za spoljašnju montažu 2 vlakna		
OP010002		Optički samonoseći kabl za spoljašnju montažu 2*0.5FRP, G657A1 LSZH 2 vlakna Dužina: 1 km, Boja : crne boje (bez konektora) Single mode, OS2 standard, sa sajlom <u>Slabljenje:</u> 1310nm, ≤ 0.35dB/km 1550nm ≤ 0.20 dB/km Ugradna temperatura: -20~+60°C Radna temperatura: -40~+70°C	0.17	0.20
		Providni optički kabl na rolni bez konektora		
OP010003		Optički kabl, providni. Dužina : 1km (bez konektora). Single mode, OS2 standard. <u>Slabljenje:</u> 1310nm, ≤ 0.4dB/km 1550nm ≤ 0.3 dB/km Ugradna temperatura: -20~+60 °C Radna temperatura: -40~+70 °C	0.07	0.08

OP010004 	Optički kabl 2*0.5+1.0mm čelična sajla Optički samonoseći kabl sa čeličnom sajlom, za spoljnu i podzemnu upotrebu, 4 vlakna, LSZH, crni. Dužina: 1km. Single mode. Slabljenje: 1310nm, ≤ 0.35 dB/km 1550nm, ≤ 0.20 dB/km Ugradna temperatura: -20~+60°C Radna temperatura : -40~+70°C
OP010005 	Optički kabl 6 vlakana, čelična sajla Optički samonoseći kabl sa čeličnom sajlom, za spoljnu i podzemnu upotrebu, 6 vlakana, LSZH, cat OS2, crni, debljina sajle 1mm. Single mode Dužina: 1 km Slabljenje : 1310nm ≤ 0.35dB 1550nm ≤ 0.2dB Ugradna temperatura -5°C ~ +40°C Radna temperatura -40°C ~ 60°C
OP010006 	GYFXTH Optički kabl 6FO Optički kabl za spoljnu i unutrašnju montažu. 6 vlakana, preseka 2,0mm centralne labave cevi,sa staklenim vlaknima i 5,8mm spoljašnom izolacijom. Dužina 1km. Single mode. Slabljenje: 1310nm, ≤ 0.36 dB/km 1550nm, ≤ 0.25 dB/km Ugradna temperatura: -20~+60°C Radna temperatura: -40~+70 °C
OP010007 	GYFXTH Optički kabl 8FO Optički kabl za spoljnu i unutrašnju montažu. 8 vlakana, preseka 2,0mm centralne labave cevi,sa staklenim vlaknima i 5,8mm spoljašnom izolacijom. Dužina 1km. Single mode. Slabljenje: 1310nm, ≤ 0.36 dB/km 1550nm, ≤ 0.25 dB/km Ugradna temperatura: -20~+60 °C Radna temperatura: -40~+70 °C
OP010008 	GYFXTH Optički kabl 12FO Optički kabl za spoljnu i unutrašnju montažu. 12 vlakana, preseka 2,0mm centralne labave cevi,sa staklenim vlaknima i 5,8mm spoljašnom izolacijom. Dužina: 1km. Single mode. Slabljenje: 1310nm, ≤ 0.36 dB/km 1550nm, ≤ 0.25 dB/km Ugradna temperatura: -20~+60°C Radna temperatura: -40~+70°C

OP010009		GYXTW Oklopljeni optički kabl 6FO GYXTW Oklopljeni optički kabl 6 vlakana, preseka 2,0mm, centralne labave cevi, čelična sajla 2*0,7mm + čelična traka i 7,5mm PE spoljnom izolacijom. Dužina 1km. Single mode. Slabljenje: 1310nm, ≤0.36 dB/km 1550nm, ≤0.25 dB/km Ugradna temperatura: -20~+60°C Radna temperatura: -40~+70°C	0.40	0.48
OP010010		GYXTW Oklopljeni optički kabl 12FO GYXTW Oklopljeni optički kabl 12 vlakana, preseka 2,0mm, centralne labave cevi, čelična sajla 2*0,7mm + čelična traka i 7,5mm PE spoljnom izolacijom. Dužina :1km. Single mode. Slabljenje: 1310nm, ≤0.36 dB/km 1550nm, ≤0.25 dB/km Ugradna temperatura: -20~+60°C Radna temperatura: -40~+70°C	0.50	0.60
OP011147		Optički kabl 12 vlakana Optički kabl 12 vlakana, preseka 2,0mm, materijal PBT. Sa spoljne strane FRP materijal 2*2mm + spoljna jakna materijal PE. Dužina:1km. Single mode. Slabljenje: 1310nm, ≤0.36 dB/km 1550nm, ≤0.22 dB/km Ugradna temperatura: -20~+60°C Radna temperatura: -40~+70°C	0.45	0.54
OP010010		Neoklopljeni optički kabl 24FO Neoklopljeni optički kabl 24 vlakana, sa više labavih cevi, čeličnom trakom i 9mm PE spoljnom izolacijom. Dužina: 1km. Singlemode. Slabljenje: 1310nm, ≤0.36 dB/km 1550nm, ≤0.22 dB/km Ugradna temperatura: -20~+60°C Radna temperatura: -40~+70°C	0.70	0.84
OP010010		Neoklopljeni optički kabl 48FO Neoklopljeni optički kabl 48 vlakana, sa više labavih cevi, čeličnom trakom i 9mm PE spoljnom izolacijom. Dužina: 1km. Single mode. Slabljenje: 1310nm, ≤0.36 dB/km 1550nm, ≤0.22 dB/km Ugradna temperatura: -20~+60°C Radna temperatura: -40~+70°C	1.00	1.20

OPTIČKI PATCH KABLOVI-SIMPLEX

Šifra	Slika	Naziv/Model	VPC (€/m)	MPC (€/m)
OP010011		SC/APC-SC/APC Optički patch kabl 2m Simplex optički patch kabl sa SC/APC-SC/APC konektorima, 2M duzine. Single mode.	2.15	2.58
OP010012		SC/APC-SC/APC Optički patch kabl 5m Simplex optički patch sa SC/APC-SC/APC konektorima, 5M duzine. Single mode.	2.30	2.76
OP010013		SC/APC-SC/APC Optički patch kabl 10m Optički patch kabl SC/APC-SC/APC 10m simplex (sa konektorima). Single mode.	2.60	3.12
OP010014		SC/APC-LC/APC Optički patch kabl 2m Simplex optički patch kabl sa SC/APC-LC/APC konektorima, 2M duzine. Single mode.	2.15	2.58
OP010015		SC/APC-LC/APC Optički patch kabl 5m Simplex optički patch kabl sa SC/APC-LC/APC konektorima, 5M duzine. Single mode.	2.30	2.76
OP010016		SC/APC-LC/APC Optički patch kabl 10m Optički patch kabl SC/APC-LC/APC 10m simplex (sa konektorima). Single mode.	2.60	3.12
OP010017		SC/APC-LC/UPC Optički patch kabl 2m Optički patch kabl SC/APC-LC/UPC 2m simplex (sa konektorima). Single mode.	2.15	2.58

OP010018		SC/APC-LC/UPC Optički patch kabl 5m Optički patch kabl SC/APC-LC/UPC 5m simplex (sa konektorima). Single mode.	2.30	2.76
OP010019		SC/UPC-SC/APC Optički patch kabl 1m Optički patch kabl SC/UPC-SC/APC 1m simplex (sa konektorima). Single mode.	1.65	1.98
OP010020		SC/UPC-SC/APC Optički patch kabl 2m Optički patch kabl SC/UPC-SC/APC 2m simplex (sa konektorima). Single mode.	1.90	2.28
OP010021		SC/UPC-SC/APC Optički patch kabl 5m Optički patch kabl SC/UPC-SC/APC 5m simplex (sa konektorima). Single mode.	2.10	2.52
OP010022		SC/UPC-SC/UPC Optički patch kabl 1m Optički patch kabl SC/UPC-SC/UPC 1m simplex (sa konektorima). Single mode.	1.65	1.98
OP010023		SC/UPC-SC/UPC Optički patch kabl 2m Optički patch kabl SC/UPC-SC/UPC 2m simplex (sa konektorima). Single mode.	1.90	2.28
OP010024		SC/UPC-SC/UPC Optički patch kabl 5m Optički patch kabl SC/UPC-SC/UPC 5m simplex (sa konektorima). Single mode.	2.10	2.52

OP010025		LC/APC-LC/APC Optički patch kabl 2m Simplex optički patch kabl sa LC/APC-LC/APC konektorima, 2M dužine. Single mode.	2.15	2.58
OP010026		LC/APC-LC/APC Optički patch kabl 5m Simplex optički patch kabl LC/APC-LC/APC sa konektorima, 5M dužine. Single mode.	2.30	2.76
OP010027		LC/UPC-LC/APC Optički patch kabl 5m Optički patch kabl LC/UPC-LC/APC 5m simplex (sa konektorima). Single mode.	1.90	2.28
OP010028		LC/APC-LC/APC Optički patch kabl 10m Optički patch kabl LC/APC-LC/APC 10m simplex (sa konektorima). Single mode.	2.60	3.12
OP010029		LC/UPC-LC/APC Optički patch kabl 2m Optički patch kabl LC/UPC-LC/APC 2m simplex (sa konektorima). Single mode.	1.70	2.04

OPTIČKI PATCH KABLOVI-DUPLEX

Šifra	Slika	Naziv/Model	VPC (€/m)	MPC (€/m)
-------	-------	-------------	-----------	-----------

OP010030



SC/APC-SC/APC Optički patch kabl 2m

Optički patch kabl SC/APC-SC/APC 2m duplex (sa konektorima). Single mode.

3.14

3.77

OP010031



SC/APC-SC/APC Optički patch kabl 5m

Optički patch kabl SC/APC-SC/APC 5m duplex (sa konektorima). Single mode.

3.73

4.48

OP010032



SC/APC-SC/APC Optički patch kabl 10m

Optički patch kabl SC/APC-SC/APC 10m duplex (sa konektorima). Single mode.

4.71

5.65

OP010035



SC/APC-SC/APC Optički patch kabl 15m

Optički patch kabl SC/APC-SC/APC 15m duplex (sa konektorima). Single mode.

5.70

6.84

OP010036



SC/APC-SC/APC Optički patch kabl 20m

Optički patch kabl SC/APC-SC/APC 20m duplex (sa konektorima). Single mode.

6.70

8.04

OP010037



SC/APC-LC/APC Optički patch kabl 2m

Optički patch kabl SC/APC-LC/APC 2m duplex (sa konektorima). Single mode.

3.24

3.89

OP010038



SC/APC-LC/APC Optički patch kabl 5m

Optički patch kabl SC/APC-LC/APC 5m duplex (sa konektorima). Single mode.

3.73

4.48

OP010039



SC/APC-LC/APC Optički patch kabl 10m

Optički patch kabl SC/APC-LC/APC 10m duplex (sa konektorima). Single mode.

4.71

5.65

OP010040



SC/APC-LC/UPC Optički patch kabl 2m

Optički patch kabl SC/APC-LC/UPC 2m duplex (sa konektorima). Single mode.

3.14

3.77

OP010041



SC/APC-LC/UPC Optički patch kabl 5m

Optički patch kabl SC/APC-LC/UPC 5m duplex (sa konektorima). Single mode.

3.73

4.48

OP010042



SC/UPC-SC/APC Optički patch kabl 2m

Optički patch kabl SC/UPC-SC/APC 2m duplex (sa konektorima). Single mode.

3.14

3.77

OP010043



SC/UPC-SC/APC Optički patch kabl 5m

Optički patch kabl SC/UPC-SC/APC 5m duplex (sa konektorima). Single mode.

3.73

4.48

LC/APC-LC/APC Optički
patch kabl 2m

OP010044



LC/APC-LC/APC Optički patch kabl 2m

Optički patch kabl LC/APC-LC/APC 2m duplex (sa konektorima). Single mode.

3.15

3.78

OP010045



LC/APC-LC/APC Optički patch kabl 5m

Optički patch kabl LC/APC-LC/APC 5m duplex (sa konektorima). Single mode.

3.73

4.48

OP010046



LC/APC-LC/APC Optički patch kabl 10m

Optički patch kabl LC/APC-LC/APC 10m duplex (sa konektorima). Single mode.

4.71

5.65

OP010047



C/APC-LC/APC Optički patch kabl 15m

Optički patch kabl LC/APC-LC/APC 15m duplex (sa konektorima). Single mode.

5.70

6.84

OP010048



LC/APC-LC/APC Optički patch kabl 25m

Optički patch kabl LC/APC-LC/APC 25m duplex (sa konektorima). Single mode.

7.70

9.24

OP010049



LC/UPC-LC/APC Optički patch kabl 2m

Optički patch kabl LC/UPC-LC/APC 2m duplex (sa konektorima). Single mode.

3.14

3.77

OP010050



LC/UPC-LC/APC Optički patch kabl 5m

Optički patch kabl LC/UPC-LC/APC 5m duplex (sa konektorima). Single mode.

3.73

4.48

OP010051



MPO/PC – LC/UPC Optički patch kabl 2m

Optički patch kabl MPO/PC – LC/UPC 12F. Broj vlakana 12. Dužina 2m.

25.90

31.08

PIGTAIL KABLOVI

Šifra	Slika	Naziv/Model	VPC (€/m)	MPC (€/m)
OP010051		PIGTAIL LC/APC SM 1m Optički Patch kabl sa LC/APC konektorom na jednom kraju, 1M duzine. Single mode.	0.90	1.08
OP010052		PIGTAIL SC/APC SM 1m Optički Patch kabl sa SC/APC konektorom na jednom kraju, 1M duzine. Single mode.	0.90	1.08
OP010053		PIGTAIL LC/UPC SM 1m Optički Patch kabl sa LC/UPC konektorom na jednom kraju, 1M duzine. Single mode.	0.90	1.08

OP010054






PIGTAIL SC/UPC SM 1m

Optički Patch kabl sa SC/UPC konektorom na jednom kraju,
1M duzine. Single mode.

0.90

1.08

RAZVODNE KUTIJE (ZOK)				
Šifra	Slika	Naziv/Model	VPC (€/m)	MPC (€/m)
OP010055		Razvodna kutija (ZOK) 12 slotova		
		Optička kutija sa 12 slota za konektore za spoljnu montažu, plastična. (Mesto za adaptere je predviđeno za 12 SC simplex konektora ili 12 LC duplex konektora). 2-4 (mogućnost probijanja plastike za ukupno 4 uvodnika) Uvodnika za kablove, vezice, termocevčice 6mm x 12. Dimenzije: 245 x 220 x 65mm.	17.40	20.88
OP010056		Razvodna kutija (ZOK) 24 slotova		
		Optička kutija sa 24 slota za konektore za spoljnu montažu, plastična. (Mesto za adaptere je predviđeno za 24 SC simplex konektora ili 24 LC duplex konektora). 2-4 (mogućnost probijanja plastike za ukupno 4 uvodnika) Uvodnika za kablove, vezice, termocevčice 6mm x 24. Dimenzije: 260 x 294 x 95mm.	25.40	30.48
OP010057		Razvodna kutija (ZOK) 48 slotova		
		Optička kutija sa 48 slota za konektore, za spoljnu montažu, plastična. (Mesto za adaptere je predviđeno za 48 SC simplex konektora ili 48 LC duplex konektora) 6 uvodnika za kablove sa prednje strane i 6 uvodnika za kablove sa zadnje strane, vezice, 48 slotova.	45.50	54.60
OP012347		Optička kutija (ZOK) 2 vlakna		
		Optička kutija sa 2 vlakna, plastična. Mesto za 2 SC simplex adaptera ili 2 LC duplex adaptera. Ne dolazi sa cevčicama.	2.15	2.58
OP010059		Optička kutija (ZOK) sa 2 slotova za konektore		
		Optička kutija za spoljnu montažu sa 2 slotova za konektore za spoljnu montažu, plastična (Mesto za adaptere je predviđeno za 2 SC simplex adaptera ili 2 LC duplex adaptera), termocevčice 6mm x2, vezice.	9.90	11.88

OP010060

**Optička kutija (ZOK) sa 4 slota za konektore**

Optička kutija za spoljnu montažu sa 4 slota za konektore za spoljnu montažu, plastična (Mesto za adaptere je predviđeno za 4 SC simplex adaptera ili 4 LC duplex adaptera), termocevnice 6mm x4, vezice.

10.90

13.08

OP010061

**Optička kutija (ZOK) sa 6 slotova za konektore**

Optička kutija za spoljnu montažu sa 6 slota za konektore za spoljnu montažu, plastična (Mesto za adaptere je predviđeno za 6 SC simplex adaptera ili 6 LC duplex adaptera), termocevnice 6mm x6, vezice. Može maksimalno da se postavi 8 cevčica.

11.90

14.28



OP010062

**30M providni optički kabl + kutije + pigtail konektor**

Optički kabl, providni, 30m sa plastičnom kutijom. Dolazi sa splajsovanim SC simplex adapterom i termocevnicama 6mm x2.

5.50

6.60

ADAPTERI				
Šifra	Slika	Naziv/Model	VPC (€/m)	MPC (€/m)
OP011347		SC/APC Simplex adapter, Singlemode Adapter optičkog kabla SC/APC Simplex.	0.24	0.29
OP010062		SC/APC Duplex adapter, Singlemode Adapter optičkog kabla SC/APC Duplex.	0.39	0.47
OP010063		SC/UPC Simplex adapter Single mode Adapter za optički kabl, SC/UPC Simplex, Singlemode.	0.20	0.24
OP010064		SC/UPC Duplex adapter Singlemode Adapter za optički kab, SC/UPC Duplex, Singlemode.	0.35	0.42
OP010065		LC/APC Simplex adapter, Singlemode Adapter optičkog kabla LC/APC Simplex.	0.27	0.32

OP010066



LC/APC Duplex adapter, Singlemode
Adapter optičkog kabla LC/APC Duplex.

0.59

0.71

OP010067




LC/UPC Simplex adapter Singlemode
Adapter za optički kab, LC/UPC Simplex, Singlemode.

0.22

0.26

OP010068



LC/UPC Duplex adapter Singlemode
Adapter za optički kab, LC/UPC Duplex, Singlemode.

0.55

0.66

OP010069



Brzi konektor LC/UPT Brzi konektor LC/UPC gubitak
u konekciji $\leq 0.2\text{dB}$ Povratni gubitak $\geq 50\text{dB}$

3.10

3.72

SPLITERI

Šifra	Slika	Naziv/Model	VPC (€/m)	MPC (€/m)
-------	-------	-------------	-----------	-----------

OP010070



Optički PLC splitter sa LC/APC konektorom 1/2
Optički PLC razdelnik sa 2 LC/APC konektora.

4.90

5.88

OP010071



Optički PLC splitter sa LC/APC konektorom 1/4
Optički PLC razdelnik sa 4 LC/APC konektora.

9.90

11.88

OP010072



Optički PLC splitter sa LC/APC konektorom 1/8
Optički PLC razdelnik sa 8 LC/APC konektora.

15.50

18.60

OP010073



Optički PLC splitter sa LC/APC konektorom 1/16
Optički PLC razdelnik sa 16 LC/APC konektora.

20.90

25.08

OP010074



Optički PLC splitter sa LC/APC konektorom 1/32
Optički PLC razdelnik sa 32 LC/APC konektora.

39.90

47.88

OP010075

**Optički PLC spliter sa SC/APC konektorom 1/2**

Optički PLC razdelnik sa 2 SC/APC konektora.

5.40

6.48

OP010076

**Optički PLC spliter sa SC/APC konektorom 1/4**

Optički PLC razdelnik sa 4 SC/APC konektora.

10.90

13.08

OP010077


**Optički PLC spliter sa SC/APC konektorom 1/8**

Optički PLC razdelnik sa 8 SC/APC konektora.

15.90

19.08

OP010078

**Optički PLC spliter sa SC/APC konektorom 1/16**

Optički PLC razdelnik sa 16 SC/APC konektora.

21.90

26.28

OP010079

**Optički PLC spliter sa SC/APC konektorom 1/32**

Optički PLC razdelnik sa 32 SC/APC konektora.

41.50

49.80

MEDIA KONVERTERI				
Šifra	Slika	Naziv/Model	VPC (€/m)	MPC (€/m)
OP010080		Par Media Konvertera Single fiber (1 vlakno) 10/100/1000 Mbps, SM, LC, 20 km. Par media konvertera za optički kabl Single Fiber, 10/100/1000MBPS, SM, LC, 20km Media konverteri dolaze u kompletu sa SFP modulima, jedan SFP modul je žute boje (Tx1550nm/Rx1310nm), drugi SPF modul je plave boje (Tx1310nm/Rx1550nm). Komplet sadrži 2 media konvertera i 2 SFP modula i 2 napajanja 5V/1A	62.90	75.48
OP010081		Par Media Konvertera Dual Fiber (2 vlakna), 10/100/1000 Mbps, SM, LC, 20km Par media konvertera za optički kabl Dual Fiber, 10/100/1000MBPS, SM, LC, 20km Media konverteri dolaze u kompletu sa SFP modulima, oba SPF modula su plave boje (Tx/Rx1310nm). Komplet sadrži 2 media konvertera i 2 SFP modula i 2 napajanja 5V/1A	62.90	75.48

SFP MODULI				
Šifra	Slika	Naziv/Model	VPC (€/m)	MPC (€/m)
OP010082		SFP Multi Mode Dual Fiber Megabitni		
		Optical Wave Length: 850nm, Emission Light Power: -8dBm ~ -3dBm Receiver Sensitivity: -19 dBm, Optical Fiber Type: Multi-mode fiber 50/125um Optical Fiber Port: LC, Transmission Distance: 2Km Protection ESD: 1a contact discharge 3 level, 1b air discharge 3 level, Per: IEC61000-4-2 Radna Temperatura: 0°C~70°C Dimenzije: 55.4mm×13.7mm×6.25mm Težina: 17g		
			9.71	11.65
OP010083		SFP Single Mode Single Fiber Megabitni		
		Optical Wave Length: 1310nm/1550nm, Emission Light Power: -15 ~ -3dBm Receiver Sensitivity: -34 dBm, Optical Fiber Type: Single mode 9/125um Optical Fiber Port: LC, Transmission Distance: Single mode 20km Protection ESD: 1a contact discharge 3 level, 1b air discharge 3 level, Per: IEC61000-4-2 Radna Temperatura: 0°C~70°C Dimenzije: 55.4mm×13.7mm×6.25mm Težina: 17g		
			22.80	27.36

ALATI ZA OPTIČKE KABLOVE

Šifra	Slika	Naziv/Model	VPC (€/m)	MPC (€/m)
OP010084		Klešta za blankiranje (3 rupe) Striper (sekač) za optički kabl sa tri rupe.	5.00	6.00
OP010085		Alat za skidanje spoljne izolacije Alat za guljenje kosuljice optičkog kabla.	10.00	12.00
OP010086		Nož za sečenje optičkog vlakna Nož za sečenje optičkog vlakna (kabla) sa korpicom za otpatke.	45.00	54.00
OP010087		Optički lokator vizuelnih grešaka u obliku olovke Optički lokator vizuelnih grešaka u obliku olovke. VFL 650nm snaga 10mW. Domet lasera od 8-10km.	14.50	17.40
OP010088		Olovka za čišćenje SC/FC/E2000 adaptera i ferula Olovka za čišćenje optičkih kablova, SC/ST/FC 2.5mm adaptera i ferula, sa preko 800 čišćenja.	26.90	32.28

OP010089



Optical Power Meter&Visual fault locator

Instrument za merenje optičke snage I vizuelno lociranje greske (prekida) optičkog kabla.

Range: -70dBm do +10dBm

43.00

51.60


VFL 650nm snaga 10mW (do 10km) **Dimenzije:** 19cm

x 10cm x 4cm **Težina:** 350g

Merenje talasnih dužina (850nm,

980nm 1300nm 1310nm 1490nm 1550nm 1625nm)

OSTALO				
Šifra	Slika	Naziv/Model	VPC (€/m)	MPC (€/m)
OP010090		Optical Power Meter&Visual fault locator Instrument za merenje optičke snage I vizuelno lociranje greske (prekida) optičkog kabla. Range: -70dBm do +10dBm VFL 650nm snaga 10mW (do 10km) Dimenzije: 19cm x 10cm x 4cm Težina: 350g Merenje talasnih dužina (850nm, 980nm,1300nm,1310nm, 1490nm, 1550nm, 1625nm)	43.00	51.60
OP010105		FL118 Uređaj za splajsovanje optičkih kablova Visoko precizna fuziona splajserica za FTTH i obična fiber vlakna Tip splajsovanja: SM (loss 0.02dB), MM(loss 0.01dB), DS(loss(0.04dB), NZDS(loss 0.04dB) Modovi: Auto, Polu automatski i ručno Namanjeno za unutrašnje kablove, 0.25mm , 0,9mm optiku Vreme spajanja vlakna: ≤ 9s ; Vreme grejanja ≤ 30s (auto grejanje) Ekran: 5" LCD ekran visoke rezolucije Uvećanje slike 200x Kapacitet baterije 200 splajsovanja i grejanja (ugradjena lithium 5200mAh) Radna temperatura -10°C do +60°C; 0~95 %RH Komplet sadrži: fuzioni splajser, nož za sečenje optičkih kablova, nož za blankiranje optičkih kablova, adapter	1775.00	2130.00

OP010091		NK6000-T2 OTDR Uređaj za testiranje optičkih kablova Uređaj se koristi za merenje dužine, gubitka i kvaliteta veze svih vrsta optičkih vlakana i kablova. Ekran na dodir: 5.8" color TFTLCD Dimenzije: 227x160x70mm Tip vlakna: Single mode Talasna dužina: 1310/1550/1625nm Dinamički opseg: 37/35/35dB Mrtva zona: 0.8m Zona slabljenja: 6m Opseg merenja: 500m /1 km /2 km /4 km /8 km /16 km /32 km /64 km /128 km /256km Merenje širine impulsa: 5ns/ 10ns/ 50ns/ 160ns/ 320ns/ 500ns/1000ns/ 5000ns/ 1000ns/ 2000ns Preciznost dometa: ± (0.75m+ Sampling interval +0.005% x Test distance), gubitak ± 0.05dB Preciznost refleksije: ± 3dB Skladištenje podataka: ≥2000 Interfejs: FC/ PC (Zamenljiv SC, ST) Komunikacija: USB, mini-USB, 10M/100M Ethernet VFL izlaz: ≥5mW, LS izlaz: ≥-5dBm	4000.00	4800.00
OP010092		SC/APC fast konektor Konektor optičkog kabla SC/APC za brzu instalaciju.	1.10	1.32
OP010093		SC/UPC fast konektor Konektor, brzi, SC/UPC za optičke kablove.	0.90	1.08
OP010094		Optički patch panel GPZ/JJ-CLA/SC12 Patch panel 12 portova (Mesto za adaptere je predviđeno za 12 SC simplex konektora ili 12LC duplex konektora). Dolazi sa metalnim nosačem, termoskupljajućim cevčicama 6mm x24, vezicama, splajs kasetom numerisanom za 24 vlakna. Dolazi bez pigtail i adaptera.	41.50	49.80

OP010095		Optički patch panel GPZ/JJ-CLA/SC24 Patch panel 24 portova (Mesto za adaptere je predviđeno za 24 SC simplex konektora ili 24LC duplex konektora, u slučaju da se koristi za 48 vlakna potrebno je dokupiti optičku kasetu za 24 vlakna i 24 termo cevčica), metalni nosači, vezice, termoskupljajuće cevčice 6mm x24, splajs kasete numerisana za 24 vlakna. Dolazi bez pigtail i adaptera.	45.00	54.00
OP010096		Patch panel fiber 12 CORE sc duplex Dimenzije 482mm x 205mm x 44.4mm Veličina 1Unit Namenjeno za SC Duplex Broj portova 12 Ulaz od 20mm 2kom. Ulaz od 25mm 2kom. Težina 2.5kg Temperatura rada -40°C do +50°C	35.00	42.00
OP010097		Patch panel fiber 24 CORE sc duplex Dimenzije 482mm x 205mm x 44.4mm Veličina 1Unit Namenjeno za SC Duplex Broj portova 24 Ulaz od 20mm 2kom. Ulaz od 25mm 2kom. Težina 2.5kg Temperatura rada -40°C do +50°C	38.50	46.20
OP011264		Dome završetak za optički kabl (24 jezgra) Viseća kutija za spajanje optickog kabla sa 24 porta . 4 uvodnika za kablove, nosač, cevčice x24 od 4mm dužine, vezice, dolazi sa 2 kasete za ukupno 24 cevčica.	37.00	44.40
OP010098		Dome završetak za optički kabl (48 jezgra) Viseća kutija za spajanje optickog kabla sa 48 portova . 4 uvodnika za kablove, nosač, cevčice x48 od 4mm dužine, vezice, dolazi sa 4 kasete za ukupno 24 cevčica.	40.00	48.00
OP011235		Fiber optička spojница do 24 fiber vlakana 2 ulaza i 2 izlaza za kabl, dome, 1 splajs kasete po 24 fibera, 24 cevčica, vezice, traka, zaptivna guma	50.00	48.00

OP010099		Horizontalni optički Splice završetak 24 jezgra Horizontalna kutija za spajanje optičkog kabla sa 24 porta za podzemnu instalaciju. Sa prednje strane ima 3 uvodnika za kabl i sa zadnje strane ima 3 uvodnika za kablove, 1 kaseta za 24 termo cevčice, izolir trakom crnom, cevčice 6mm x24 i vezice.	38.00	45.60
OP010100		Horizontalni optički Splice završetak 48 jezgra Horizontalna kutija za spajanje optičkog kabla sa 48 portova za podzemnu instalaciju. Sa prednje strane ima 3 uvodnika za kabl i sa zadnje strane ima 3 uvodnika za kablove, 2 kasete za 48 cevčica, izolir trakom crnom, cevčice 6mm x48 i vezice.	40.00	48.00
OP010101		Termo cevčice za varenje optičkih kablova Termo-skupljajuće cevčice za optičke kablove, za zaštitu spojeva.	0.06	0.07
OP010102		Optička kaseta 12 jezgara Optička kaseta za 12 vlakana, plastična.	1.50	1.80
OP010103		Optička kaseta 24 jezgra Optička kaseta sa 24 vlakana, plastična.	1.90	2.28
OP010104		Stezaljka za optičke kablove 6/12FO Stezaljka za optičke kablove 6/12FO unutrašnja i spoljašnja upotreba Dužina stezaljke 186,08mm Širina 20,18mm Debljina sajle Ø2mm Nerđajući materijal	1.20	1.44